

## Cured Flower - Bulk - Mimosa

Sample ID: 1908CSALA6689.3169

Strain: Mimosa

Matrix: Plant

Type: Flower - Cured

Sample Size: 8 grams

Batch Size: 1379 grams

Harvested: 08/09/2019

Collected: 08/14/2019

Received: 08/14/2019

Completed: 08/22/2019

Batch#: 20190809-M

Distributor

**CEA Services, LLC dba Curated Cannabis**

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

**CEA Services, LLC**

Lic. # CAL19-0001984

3031 S Shannon St, Santa Ana, CA 92704



### Summary

Pass

<b>23.96%</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Not Tested</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

### Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
THCa	0.00002	0.0001	22.40	224.02
CBGa	0.00002	0.0001	1.09	10.87
CBG	0.00004	0.0001	0.23	2.28
Δ9-THC	0.00004	0.0001	0.20	1.96
CBDa	0.00002	0.0001	0.05	0.45
CBC	0.00001	0.0001	ND	ND
CBD	0.00004	0.0001	ND	ND
CBDV	0.00001	0.0001	ND	ND
CBN	0.00002	0.0001	ND	ND
THCV	0.00004	0.0001	ND	ND
Δ8-THC	0.00004	0.0001	ND	ND
<b>Total</b>			<b>23.96</b>	<b>239.58</b>

**19.84%**
**Total THC**
**0.04%**
**Total CBD**

Date Tested: 08/20/2019

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

The reported result is based on a sample weight with the applicable moisture content for that sample;

### Terpenes

Testing method: HS-GC-FID - SOP 201

Complete

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
β-Caryophyllene	0.00017	0.0013	0.26	2.63
δ-Limonene	0.00016	0.0013	0.16	1.62
Linalool	0.00015	0.0013	0.11	1.11
α-Humulene	0.00057	0.0013	0.07	0.72
β-Pinene	0.00034	0.0013	0.05	0.53
β-Myrcene	0.00012	0.0013	0.05	0.50
α-Bisabolol	0.00015	0.0013	0.05	0.49
α-Pinene	0.00015	0.0013	0.05	0.46
Ocimene	0.00013	0.0013	0.02	0.20
Camphene	0.00072	0.0013	0.01	0.09
Isopulegol	0.00011	0.0013	0.01	0.08
Caryophyllene Oxide	0.00017	0.0013	0.01	0.07
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
<b>Total</b>			<b>0.85</b>	<b>8.50</b>

Date Tested: 08/20/2019

**11.9%**
**Moisture**

Moisture Analyzer SOP-103

Date Tested: 08/19/2019

**0.470 aw**
**Water Activity**

Water Activity Meter SOP-102

Date Tested: 08/20/2019

**Pass**
**Foreign Matter**

Visual Inspection SOP-001

Date Tested: 08/16/2019


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

 FJLA  
 Testing  
 Accredited 1993



 Mallory Speakman  
 Laboratory Director - LA  
 08/22/2019



 Anya Engen  
 Quality Review  
 08/22/2019



 Amanda Bravo  
 COA Review  
 08/22/2019

## Cured Flower - Bulk - Mimosa

Sample ID: 1908CSALA6689.3169

Strain: Mimosa

Matrix: Plant

Type: Flower - Cured

Sample Size: 8 grams

Batch Size: 1379 grams

Harvested: 08/09/2019

Collected: 08/14/2019

Received: 08/14/2019

Completed: 08/22/2019

Batch#: 20190809-M

Distributor

**CEA Services, LLC dba Curated Cannabis**

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

**CEA Services, LLC**

Lic. # CAL19-0001984

3031 S Shannon St, Santa Ana, CA 92704

## Pesticides

Pass

Testing method: LCMS &amp; GCMS-SOP 301

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazaili *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclotrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 08/20/2019

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

 FJLA  
 Testing  
 Accredited 1993



 Mallory Speakman  
 Laboratory Director - LA  
 08/22/2019



 Anya Engen  
 Quality Review  
 08/22/2019



 Amanda Bravo  
 COA Review  
 08/22/2019

## Cured Flower - Bulk - Mimosa

Sample ID: 1908CSALA6689.3169

Strain: Mimosa

Matrix: Plant

Type: Flower - Cured

Sample Size: 8 grams

Batch Size: 1379 grams

Harvested: 08/09/2019

Collected: 08/14/2019

Received: 08/14/2019

Completed: 08/22/2019

Batch#: 20190809-M

Distributor

**CEA Services, LLC dba Curated Cannabis**

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

**CEA Services, LLC**

Lic. # CAL19-0001984

3031 S Shannon St, Santa Ana, CA 92704

### Microbials

Testing method: PCR-SOP 401

**Pass**

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 08/20/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Mycotoxins

Testing method: LCMS-SOP 301

**Pass**

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 08/21/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Heavy Metals

Testing method: ICPMS-SOP 501

**Pass**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	0.121	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	0.039	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 08/21/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 08/22/2019



 Anya Engen  
 Quality Review  
 08/22/2019



 Amanda Bravo  
 COA Review  
 08/22/2019