

# Mimosa

Sample ID: 2004CSALA5455.8942

Strain: Mimosa

Matrix: Plant

Harvested: 04/06/2020

Type: Flower - Cured

Collected: 04/07/2020

Sample Size: 12 grams

Received: 04/07/2020

Batch Size: 2945 grams

Completed: 04/11/2020

Batch#: 20200406-M

METRC ID: 1A40603000032DE000000582

Source IDs: 1A40603000032DE000000581

Distributor

CEA Services, LLC dba Curated Cannabis

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

CEA Services, LLC

Lic. # CCL19-0001984

3031 S Shannon St, Santa Ana, CA 92704



## Summary

Pass

29.46%	Pass	Not Tested
Total Cannabinoids	Pesticides	Residual Solvents
Pass	Pass	Pass
Microbials	Mycotoxins	Heavy Metals

## Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.002	0.006	28.00	279.95
CBGa	0.0016	0.005	1.17	11.73
CBG	0.0047	0.0143	0.17	1.66
Δ9-THC	0.0038	0.0115	0.08	0.75
CBDa	0.0012	0.0037	0.05	0.52
CBC	0.0009	0.0027	ND	ND
CBD	0.0059	0.018	ND	ND
CBDV	0.0042	0.0126	ND	ND
CBN	0.0014	0.0041	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
<b>Total</b>			<b>29.46</b>	<b>294.61</b>

24.63%	0.05%
Total THC	Total CBD

Date Tested: 04/09/2020

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

The reported result is based on a sample weight with the applicable moisture content for that sample;

## Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
δ-Limonene	0.00016	0.0013	0.39	3.92
β-Caryophyllene	0.00017	0.0013	0.35	3.48
Linalool	0.00015	0.0013	0.14	1.40
β-Myrcene	0.00012	0.0013	0.12	1.21
β-Pinene	0.00034	0.0013	0.10	1.05
α-Pinene	0.00015	0.0013	0.10	1.02
α-Humulene	0.00057	0.0013	0.09	0.88
Ocimene	0.00013	0.0013	0.06	0.64
α-Bisabolol	0.00015	0.0013	0.04	0.39
Isopulegol	0.00011	0.0013	0.04	0.37
Camphene	0.00072	0.0013	0.02	0.16
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
<b>Total</b>			<b>1.45</b>	<b>14.51</b>

Date Tested: 04/08/2020

9.9%	0.430 aw	Pass
Moisture	Water Activity	Foreign Matter
Moisture Analyzer SOP-103 Date Tested: 04/09/2020	Water Activity Meter SOP-102 Date Tested: 04/09/2020	Visual Inspection SOP-600 Date Tested: 04/08/2020



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
Accreditation No. 73653

Mallory Speakman  
Laboratory Director - LA  
04/11/2020

Anya Engen  
Quality Review  
04/11/2020

Ryan Sueme  
COA Review  
04/11/2020

# Mimosa

Sample ID: 2004CSALA5455.8942

Strain: Mimosa

Matrix: Plant

Harvested: 04/06/2020

Type: Flower - Cured

Collected: 04/07/2020

Sample Size: 12 grams

Received: 04/07/2020

Batch Size: 2945 grams

Completed: 04/11/2020

Batch#: 20200406-M

METRC ID: 1A40603000032DE000000582

Source IDs: 1A40603000032DE000000581

Distributor

CEA Services, LLC dba Curated Cannabis

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

CEA Services, LLC

Lic. # CCL19-0001984

3031 S Shannon St, Santa Ana, CA 92704

## Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 04/09/2020

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
Accreditation No. 73653



Mallory Speakman  
Laboratory Director - LA  
04/11/2020



Anya Engen  
Quality Review  
04/11/2020



Ryan Sueme  
COA Review  
04/11/2020

## Mimosa

Sample ID: 2004CSALA5455.8942

Strain: Mimosa

Matrix: Plant

Harvested: 04/06/2020

Type: Flower - Cured

Collected: 04/07/2020

Sample Size: 12 grams

Received: 04/07/2020

Batch Size: 2945 grams

Completed: 04/11/2020

Batch#: 20200406-M

METRC ID: 1A40603000032DE000000582

Source IDs: 1A40603000032DE000000581

Distributor

CEA Services, LLC dba Curated Cannabis

Lic. # C11-0000030-LIC

3031 S Shannon St, Santa Ana, CA, 92704

Producer

CEA Services, LLC

Lic. # CCL19-0001984

3031 S Shannon St, Santa Ana, CA 92704

## Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 04/10/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 04/09/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	ND	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	0.014	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 04/09/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
Accreditation No. 73653



Mallory Speakman  
Laboratory Director - LA  
04/11/2020



Anya Engen  
Quality Review  
04/11/2020



Ryan Sueme  
COA Review  
04/11/2020