

Dosilato

Sample ID: 2007CSALA8688.7692

Strain: Dosilato

Matrix: Plant
Type: Flower - Cured
Sample Size: 9.8 grams
Batch Size: 1891 grams
Batch#: 20200713-D

Harvested: 07/01/2020
Collected: 07/13/2020
Received: 07/13/2020
Completed: 07/17/2020
Test UID: 1A40603000032DE000001004
Source UID: 1A40603000050E1000000180

Distributor
CEA Services, LLC dba Curated Cannabis
Lic. # C11-0000030-LIC
3031 S Shannon St, Santa Ana, CA, 92704

Producer
CEA Services, LLC
Lic. # CCL19-0001984
3031 S Shannon St, Santa Ana, CA 92704



Summary

Pass

22.94% Total Cannabinoids	Pass Pesticides	Not Tested Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.002	0.006	20.67	206.66
Δ9-THC	0.0038	0.0115	1.41	14.13
CBGa	0.0016	0.005	0.72	7.21
CBG	0.0047	0.0143	0.15	1.45
CBC	0.0009	0.0027	ND	ND
CBD	0.0059	0.018	ND	ND
CBDa	0.0012	0.0037	ND	ND
CBDV	0.0042	0.0126	ND	ND
CBN	0.0014	0.0041	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
Total			22.94	229.44

Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.00017	0.0013	0.44	4.39
δ-Limonene	0.00016	0.0013	0.28	2.85
β-Myrcene	0.00012	0.0013	0.22	2.23
α-Humulene	0.00057	0.0013	0.12	1.15
Linalool	0.00015	0.0013	0.08	0.80
β-Pinene	0.00034	0.0013	0.07	0.69
α-Pinene	0.00015	0.0013	0.06	0.58
trans-Nerolidol	0.00058	0.0013	0.05	0.47
Guaiol	0.00018	0.0013	0.05	0.46
Ocimene	0.00013	0.0013	0.04	0.42
α-Bisabolol	0.00015	0.0013	0.03	0.25
Camphene	0.00072	0.0013	0.01	0.11
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
Total			1.44	14.40

19.54%

Total THC

ND

Total CBD

Date Tested: 07/15/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;

Date Tested: 07/15/2020

13.9%

Moisture

Moisture Analyzer SOP-103
Date Tested: 07/15/2020

0.430 aw

Water Activity

Water Activity Meter SOP-102
Date Tested: 07/15/2020

Pass

Foreign Matter

Visual Inspection SOP-600
Date Tested: 07/14/2020



ISO / IEC 17025:2017 ACCREDITED
LABORATORY
Accreditation No. 73653

Mallory Speakman
Laboratory Director - LA
07/17/2020

Anya Engen
Quality Review
07/17/2020

Cecilia Melgar
COA Review
07/17/2020

Dosilato

Sample ID: 2007CSALA8688.7692

Strain: Dosilato

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 9.8 grams
 Batch Size: 1891 grams
 Batch#: 20200713-D

 Harvested: 07/01/2020
 Collected: 07/13/2020
 Received: 07/13/2020
 Completed: 07/17/2020
 Test UID: 1A40603000032DE000001004
 Source UID: 1A406030000050E1000000180

 Distributor
CEA Services, LLC dba Curated Cannabis
 Lic. # C11-0000030-LIC
 3031 S Shannon St, Santa Ana, CA, 92704

 Producer
CEA Services, LLC
 Lic. # CCL19-0001984
 3031 S Shannon St, Santa Ana, CA 92704

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamidiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metalaxyl	0.0076	0.025	2	ND	Pass
Bifenthrin	0.029	0.097	3	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3	ND	Pass
Cypermethrin	0.0105	0.035	1	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5	ND	Pass
Fonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 07/16/2020

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 07/17/2020

 Anya Engen
 Quality Review
 07/17/2020

 Cecilia Melgar
 COA Review
 07/17/2020

Dosilato

Sample ID: 2007CSALA8688.7692

Strain: Dosilato

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 9.8 grams
 Batch Size: 1891 grams
 Batch#: 20200713-D

 Harvested: 07/01/2020
 Collected: 07/13/2020
 Received: 07/13/2020
 Completed: 07/17/2020
 Test UID: 1A40603000032DE000001004
 Source UID: 1A40603000050E1000000180

 Distributor
CEA Services, LLC dba Curated Cannabis
 Lic. # C11-0000030-LIC
 3031 S Shannon St, Santa Ana, CA, 92704

 Producer
CEA Services, LLC
 Lic. # CCL19-0001984
 3031 S Shannon St, Santa Ana, CA 92704

Microbials

Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 07/16/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Testing method: LCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.0113	0.038	20	ND	Pass

Date Tested: 07/16/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	ND	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	ND	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 07/15/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 07/17/2020

 Anya Engen
 Quality Review
 07/17/2020

 Cecilia Melgar
 COA Review
 07/17/2020