

OGKB - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001558; METRC Batch: 1A40603000050E1000001557

Sample ID: 2103NIVA0324.1046

Strain: OGKB

Matrix: Plant

Type: Flower - Cured

Sample Size: 12.8 g; Batch Size: 3,603 g

Produced:

Collected: 03/19/2021

Received: 03/19/2021

Completed: 03/23/2021

Batch#: 20210319-OGKB2

Distributor

CEA Services

Lic. # C11-0000030-LIC

3031 S Shannon St

Santa Ana, CA 92704

Producer

CEA Services

Lic. # CCL19-0001984

3031 South Shannon Street

Santa Ana, CA 92704



Pass Foreign Matter <small>SOPTS.4.001</small>	Pass Heavy Metals <small>SOPTS.4.500 ICP-MS</small>	Complete Moisture <small>SOPTS.4.001</small>	Pass Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small>
Pass Microbials <small>SOPTS.4.600 PathogenDx</small>	Not Tested Solvents <small>SOPTS.4.400 GC-MS</small>	Pass <i>0.38 aw</i> Water Activity <small>SOPTS.4.003</small>	Pass Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small>

Cannabinoids (SOPTS.4.100 HPLC Analysis)

Pass

22.552% 225.522 mg/g Total THC	ND ND Total CBD	27.035% 270.354 mg/g Total Cannabinoids	6.23% Moisture
---	------------------------------	--	--------------------------

Analyte	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %
THCa	0.2400	0.8000	254.01	25.40
CBGa	0.2400	0.8000	10.99	1.10
Δ9-THC	0.2400	0.8000	2.75	0.28
CBG	0.2400	0.8000	2.60	0.26
CBC	0.2400	0.8000	ND	ND
CBD	0.2400	0.8000	ND	ND
CBN	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	<LOQ	<LOQ
CBDV	0.2400	0.8000	ND	ND
THCV	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
Total THC			225.522	22.552
Total CBD			ND	ND
Total			270.354	27.0354

Density: g per 1 mL

Cannabinoids Date Tested: 03/22/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date:; Water Activity Date Tested: 03/21/2021

Moisture Content Analytical Instrumentation: Ohaus MB90 Moisture Balance. Moisture Content Analysis Date:; Moisture Date Tested: 03/21/2021

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 03/21/2021



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/23/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

OGKB - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001558; METRC Batch: 1A40603000050E1000001557

Sample ID: 2103NIVA0324.1046

Strain: OGKB

Matrix: Plant

Type: Flower - Cured

Sample Size: 12.8 g; Batch Size: 3,603 g

Produced:

Collected: 03/19/2021

Received: 03/19/2021

Completed: 03/23/2021

Batch#: 20210319-OGKB2

Distributor

CEA Services

Lic. # C11-0000030-LIC

3031 S Shannon St

Santa Ana, CA 92704

Producer

CEA Services

Lic. # CCL19-0001984

3031 South Shannon Street

Santa Ana, CA 92704

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/23/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 03/22/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	ND	Pass
Mercury	0.005	0.020	0.100	ND	Pass

Date Tested: 03/22/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



PJLA
Testing
Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/23/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-000024-LIC

OGKB - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001558; METRC Batch: 1A40603000050E1000001557

Sample ID: 2103NIVA0324.1046

Produced:

Distributor

Producer

Strain: OGKB

Collected: 03/19/2021

CEA Services

CEA Services

Matrix: Plant

Received: 03/19/2021

Lic. # C11-0000030-LIC

Lic. # CCL19-0001984

Type: Flower - Cured

Completed: 03/23/2021

3031 S Shannon St

3031 South Shannon Street

Sample Size: 12.8 g; Batch Size: 3,603 g

Batch#: 20210319-OGKB2

Santa Ana, CA 92704

Santa Ana, CA 92704

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	ND	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyfluthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoxazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Fonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 03/22/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/23/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty