



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

Wedding Cake - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001584; METRC Batch: 1A40603000050E1000000218

Sample ID: 2103NIVA0356.1139

Strain: Wedding Cake

Matrix: Plant

Type: Flower - Cured

Sample Size: 10.1 g; Batch Size: 709 g

Produced:

Collected: 03/26/2021

Received: 03/26/2021

Completed: 03/30/2021

Batch#: 20210326-WC2

Distributor

CEA Services

Lic. # C11-0000030-LIC

3031 S Shannon St

Santa Ana, CA 92704

Producer

CEA Services

Lic. # CCL19-0001984

3031 S Shannon St

Santa Ana, CA 92704



| | | | |
|---|--|---|---|
| Pass Foreign Matter SOPTS.4.001 | Pass Heavy Metals SOPTS.4.500 ICP-MS | Complete Moisture SOPTS.4.001 | Pass Pesticides SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS |
| Pass Microbials SOPTS.4.600 PathogenDx | Not Tested Solvents SOPTS.4.400 GC-MS | Pass 0.42 aw Water Activity SOPTS.4.003 | Pass Mycotoxins SOPTS.4.300 LC-MS/MS |

Cannabinoids (SOPTS.4.100 HPLC Analysis)

Pass

| | | | |
|---|------------------------------|--|--------------------------|
| 25.467% 254.670 mg/g Total THC | ND ND Total CBD | 30.193% 301.927 mg/g Total Cannabinoids | 4.98% Moisture |
|---|------------------------------|--|--------------------------|

| Analyte | LOD mg/g | LOQ mg/g | Mass mg/g | Mass % |
|------------------|-------------|-------------|----------------|----------------|
| THCa | 0.2400 | 0.8000 | 288.41 | 28.84 |
| CBGa | 0.2400 | 0.8000 | 10.90 | 1.09 |
| Δ9-THC | 0.2400 | 0.8000 | 1.73 | 0.17 |
| CBG | 0.2400 | 0.8000 | 0.88 | 0.09 |
| CBC | 0.2400 | 0.8000 | ND | ND |
| CBD | 0.2400 | 0.8000 | ND | ND |
| CBN | 0.2400 | 0.8000 | ND | ND |
| CBDa | 0.2400 | 0.8000 | <LOQ | <LOQ |
| CBDV | 0.2400 | 0.8000 | ND | ND |
| THCV | 0.2400 | 0.8000 | ND | ND |
| Δ8-THC | 0.2400 | 0.8000 | ND | ND |
| Total THC | | | 254.670 | 25.467 |
| Total CBD | | | ND | ND |
| Total | | | 301.927 | 30.1927 |

Density: g per 1 mL

Cannabinoids Date Tested: 03/27/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date:; Water Activity Date Tested: 03/29/2021

Moisture Content Analytical Instrumentation: Ohaus MB90 Moisture Balance. Moisture Content Analysis Date:; Moisture Date Tested: 03/27/2021

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 03/27/2021



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

Wedding Cake - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001584; METRC Batch: 1A40603000050E1000000218

Sample ID: 2103NIVA0356.1139

Strain: Wedding Cake

Matrix: Plant

Type: Flower - Cured

Sample Size: 10.1 g; Batch Size: 709 g

Produced:

Collected: 03/26/2021

Received: 03/26/2021

Completed: 03/30/2021

Batch#: 20210326-WC2

Distributor

CEA Services

Lic. # C11-0000030-LIC

3031 S Shannon St

Santa Ana, CA 92704

Producer

CEA Services

Lic. # CCL19-0001984

3031 S Shannon St

Santa Ana, CA 92704

Microbials

Pass

| Analyte | Result | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Pass |

Date Tested: 03/30/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Units | Status |
|------------------|-------|-------|-------|-------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | 4.00 | 5.00 | | ND | Tested |
| B2 | 4.00 | 5.00 | | ND | Tested |
| G1 | 4.00 | 5.00 | | ND | Tested |
| G2 | 4.00 | 5.00 | | ND | Tested |
| Total Aflatoxins | | | 20.00 | ND | Pass |
| Ochratoxin A | 16 | 20 | 20.00 | ND | Pass |

Date Tested: 03/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Units | Status |
|---------|-------|-------|-------|-------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.009 | 0.090 | 0.200 | ND | Pass |
| Cadmium | 0.009 | 0.090 | 0.200 | ND | Pass |
| Lead | 0.009 | 0.090 | 0.500 | <LOQ | Pass |
| Mercury | 0.005 | 0.020 | 0.100 | ND | Pass |

Date Tested: 03/29/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-000024-LIC

Wedding Cake - Live Cured Flower - Bulk

Overall Status: Pass

METRC Sample: 1A40603000032DE000001584; METRC Batch: 1A40603000050E1000000218

Sample ID: 2103NIVA0356.1139

Produced:

Distributor

Producer

Strain: Wedding Cake

Collected: 03/26/2021

CEA Services

CEA Services

Matrix: Plant

Received: 03/26/2021

Lic. # C11-0000030-LIC

Lic. # CCL19-0001984

Type: Flower - Cured

Completed: 03/30/2021

3031 S Shannon St

3031 S Shannon St

Sample Size: 10.1 g; Batch Size: 709 g

Batch#: 20210326-WC2

Santa Ana, CA 92704

Santa Ana, CA 92704

Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status | Analyte | LOD | LOQ | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.040 | 0.050 | 0.10 | ND | Pass | Fludioxonil | 0.040 | 0.050 | 0.10 | ND | Pass |
| Acephate | 0.050 | 0.100 | 0.10 | ND | Pass | Hexythiazox | 0.010 | 0.020 | 0.10 | ND | Pass |
| Acequinocyl | 0.040 | 0.050 | 0.10 | ND | Pass | Imazalil | 0.040 | 0.050 | 0.04 | ND | Pass |
| Acetamiprid | 0.010 | 0.020 | 0.10 | ND | Pass | Imidacloprid | 0.010 | 0.020 | 5.00 | ND | Pass |
| Aldicarb | 0.010 | 0.020 | 0.01 | ND | Pass | Kresoxim Methyl | 0.020 | 0.050 | 0.10 | ND | Pass |
| Azoxystrobin | 0.010 | 0.020 | 0.10 | ND | Pass | Malathion | 0.010 | 0.020 | 0.50 | ND | Pass |
| Bifenazate | 0.010 | 0.020 | 0.10 | ND | Pass | Metalaxyl | 0.010 | 0.020 | 2.00 | ND | Pass |
| Bifenthrin | 0.010 | 0.020 | 3.00 | ND | Pass | Methiocarb | 0.010 | 0.020 | 0.01 | ND | Pass |
| Boscalid | 0.040 | 0.050 | 0.10 | ND | Pass | Methomyl | 0.010 | 0.020 | 1.00 | ND | Pass |
| Captan | 0.100 | 0.100 | 0.70 | ND | Pass | Mevinphos | 0.018 | 0.045 | 0.02 | ND | Pass |
| Carbaryl | 0.020 | 0.050 | 0.50 | ND | Pass | Myclobutanil | 0.040 | 0.050 | 0.10 | ND | Pass |
| Carbofuran | 0.010 | 0.020 | 0.01 | ND | Pass | Naled | 0.040 | 0.050 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.040 | 0.050 | 10.00 | ND | Pass | Oxamyl | 0.010 | 0.020 | 0.50 | ND | Pass |
| Chlordane | 0.030 | 0.050 | 0.03 | ND | Pass | Pacllobutrazol | 0.040 | 0.050 | 0.04 | ND | Pass |
| Chlorfenapyr | 0.030 | 0.050 | 0.03 | ND | Pass | Parathion Methyl | 0.030 | 0.050 | 0.03 | ND | Pass |
| Chlorpyrifos | 0.020 | 0.050 | 0.02 | ND | Pass | Pentachloronitrobenzene | 0.030 | 0.050 | 0.10 | ND | Pass |
| Clofentezine | 0.010 | 0.020 | 0.10 | ND | Pass | Permethrin | 0.020 | 0.050 | 0.50 | ND | Pass |
| Coumaphos | 0.050 | 0.100 | 0.05 | ND | Pass | Phosmet | 0.010 | 0.020 | 0.10 | ND | Pass |
| Cyfluthrin | 0.050 | 0.100 | 2.00 | ND | Pass | Piperonyl Butoxide | 0.010 | 0.020 | 3.00 | ND | Pass |
| Cypermethrin | 0.050 | 0.100 | 1.00 | ND | Pass | Prallethrin | 0.040 | 0.050 | 0.10 | ND | Pass |
| Daminozide | 0.040 | 0.050 | 0.04 | ND | Pass | Propiconazole | 0.040 | 0.050 | 0.10 | ND | Pass |
| Diazinon | 0.010 | 0.020 | 0.10 | ND | Pass | Propoxur | 0.010 | 0.020 | 0.01 | ND | Pass |
| Dichlorvos | 0.050 | 0.100 | 0.05 | ND | Pass | Pyrethrins | 0.042 | 0.084 | 0.50 | ND | Pass |
| Dimethoate | 0.010 | 0.020 | 0.01 | ND | Pass | Pyridaben | 0.030 | 0.050 | 0.10 | ND | Pass |
| Dimethomorph | 0.020 | 0.050 | 2.00 | ND | Pass | Spinetoram | 0.041 | 0.061 | 0.10 | ND | Pass |
| Ethoprophos | 0.010 | 0.020 | 0.01 | ND | Pass | Spinosad | 0.019 | 0.048 | 0.10 | ND | Pass |
| Etofenprox | 0.010 | 0.020 | 0.01 | ND | Pass | Spiromesifen | 0.010 | 0.020 | 0.10 | ND | Pass |
| Etoazole | 0.010 | 0.020 | 0.10 | ND | Pass | Spirotetramat | 0.020 | 0.050 | 0.10 | ND | Pass |
| Fenhexamid | 0.040 | 0.050 | 0.10 | ND | Pass | Spiroxamine | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fenoxycarb | 0.010 | 0.020 | 0.01 | ND | Pass | Tebuconazole | 0.050 | 0.100 | 0.10 | ND | Pass |
| Fenpyroximate | 0.010 | 0.020 | 0.10 | ND | Pass | Thiacloprid | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fipronil | 0.040 | 0.050 | 0.04 | ND | Pass | Thiamethoxam | 0.010 | 0.020 | 5.00 | ND | Pass |
| Fonicamid | 0.010 | 0.020 | 0.10 | ND | Pass | Trifloxystrobin | 0.010 | 0.020 | 0.10 | ND | Pass |

Date Tested: 03/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
03/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty